

Code for Sustainable Homes Report

For use with Nov 2010 addendum 2014 England

Assessor and House Details

Assessor Name:

Assessor Number:

Property Address:

House
1 Main Street
CH11 XYZ

Buiding regulation assessment

TER	24.31
DER	2.22

ENE 1 Assessment - Dwelling Emission Rate

Total Energy Type CO₂ Emissions for Codes Levels 1 - 5

	%	kg/m ² /year	
DER from SAP 2012 DER Worksheet		2.22	(ZC1)
TER		24.31	
Residual CO ₂ emissions offset from biofuel CHP		0	(ZC5)
CO ₂ emissions offset from additional allowable electricity generation		0	(ZC7)
Total CO ₂ emissions offset from SAP Section 16 allowances		0	
DER accounting for SAP Section 16 allowances		2.22	
% improvement DER/TER	90.9		

Total Energy Type CO₂ Emissions for Codes Levels 6

	kg/m ² /year	
DER accounting for SAP Section 16 allowances	2.22	(ZC1)
CO ₂ emissions from appliances, equation (L14)	13.28	(ZC2)
CO ₂ emissions from cooking, equation (L16)	1.4	(ZC3)
Net CO ₂ emissions	11.7	(ZC8)

Result:

Credits awarded for ENE 1 = 8.4

Code Level = 4

ENE 2 - Fabric energy Efficiency

Fabric energy Efficiency: 35.62

Credits awarded for ENE 2 = 9

ENE 7 - Low or Zero Carbon (LZC) Technologies

Reduction in CO₂ Emissions

	%	kg/m ² /year
Standard Case CO ₂ emissions		27.01
Standard DER		12.34
Actual Case CO ₂ emissions		11.66
Actual DER		-3.01
Reduction in CO ₂ emissions	56.83	

Credits awarded for ENE 7 = 2

Technologies eligible to contribute to achieving the requirements of this issue must produce energy from renewable sources and meet all other ancillary requirements as defined by Directive 2009/28/EC of the European Parliament and of the Council of 23 April 2009 on the promotion of the use of energy from renewable sources and amending and subsequently repealing Directives 2001/77/EC and 2003/30/EC.

The following requirements must also be met:

- Where not provided by accredited external renewables there must be a direct supply of energy produced to the dwelling under assessment.
- Where covered by the Microgeneration Certification Scheme (MCS), technologies under 50kWe or 300kWh must be certified.
- Combined Heat and Power (CHP) schemes above 50kWe must be certified under the CHPQA standard.
- All technologies must be accounted for by SAP.

CHP schemes fuelled by mains gas are eligible to contribute to performance against this issue. Where these schemes are above 50kWe they must be certified under the CHPQA.

It is the responsibility of the Accredited OCDEA and Code Assessor to ensure all technologies use in the calculation are appropriate before awarding credits.